


EVG.TEJAS.G1.22263

<b>Batch ID:</b>	EVG.TEJAS.G1.22263	<b>Test ID:</b>	T000222169
<b>Type:</b>	Unit	<b>Submitted:</b>	09/21/2022 @ 09:26 AM
<b>Test:</b>	Potency	<b>Started:</b>	9/21/2022
<b>Method:</b>	TM14 (HPLC-DAD)	<b>Reported:</b>	9/23/2022

## CANNABINOID PROFILE



CBD	0.55%
CBDa	0.00%
delta 9 THC	0.00%
THCa	0.00%

Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.51	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.58	ND	ND
Cannabidiolic acid (CBDA)	0.67	ND	ND
Cannabidiol (CBD)	0.65	18.15	5.5
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.63	ND	ND
Cannabinolic Acid (CBNA)	0.36	ND	ND
Cannabinol (CBN)	0.17	ND	ND
Cannabigerolic acid (CBGA)	0.53	ND	ND
Cannabigerol (CBG)	0.13	0.99	0.3
Tetrahydrocannabivarinic Acid (THCVA)	0.45	ND	ND
Tetrahydrocannabivarin (THCV)	0.12	5.72	1.7
Cannabidivarinic Acid (CBDVA)	0.28	ND	ND
Cannabidivarin (CBDV)	0.15	16.20	4.9
Cannabichromenic Acid (CBCA)	0.20	ND	ND
Cannabichromene (CBC)	0.22	ND	ND
<b>Total Cannabinoids</b>		<b>41.06</b>	<b>12.5</b>
Total Potential THC**		ND	ND
Total Potential CBD**		18.15	5.5

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

\* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

\*\* Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa \*(0.877)) and

Total CBD = CBD + (CBDA \*(0.877))

ND = None Detected (Defined by Dynamic Range of the method)

### NOTES:

# of Servings = 1, Sample Weight=3.28g

## FINAL APPROVAL

*K Winterheimer*  
Karen Winterheimer  
23-Sep-2022  
6:06 PM

PREPARED BY / DATE

*Daniel Weidensaul*  
Daniel Weidensaul  
23-Sep-2022  
6:07 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01




Certificate #4329.02

EV22.TEJAS.THCV.163

<b>Batch ID:</b>		<b>Test ID:</b>	T000220215
<b>Type:</b>	Concentrate	<b>Submitted:</b>	09/01/2022 @ 10:45 AM
<b>Test:</b>	Terpenes	<b>Started:</b>	9/6/2022
<b>Method:</b>	TM22 (GC-MS)	<b>Reported:</b>	9/7/2022

## TERPENE PROFILE



Compound	%(w/w)	mg/g
(-)-alpha-Bisabolol	0.0398	0.398
Camphene	0.0000	0.000
delta-3-Carene	0.0000	0.000
beta-Caryophyllene	0.0022	0.022
(-)-Caryophyllene Oxide	0.0060	0.060
p-Cymene	0.0000	0.000
Eucalyptol	0.0000	0.000
Geraniol	0.0000	0.000
alpha-Humulene	0.0018	0.018
(-)-Isopulegol	0.0000	0.000
d-Limonene	0.0000	0.000
Linalool	0.0000	0.000
beta-Myrcene	0.0000	0.000
cis-Nerolidol	0.0000	0.000
trans-Nerolidol	0.0194	0.194
Ocimene	0.0000	0.000
beta-Ocimene	0.0000	0.000
alpha-Pinene	0.0000	0.000
(-)-beta-Pinene	0.0000	0.000
alpha-Terpinene	0.0000	0.000
gamma-Terpinene	0.0000	0.000
Terpinolene	0.0000	0.000
	<b>0.0692</b>	<b>0.692</b>

## PREDOMINANT TERPENES

alpha-Pinene	0.0000
(-)-beta-Pinene	0.0000
beta-Myrcene	0.0000
delta-3-Carene	0.0000
alpha-Terpinene	0.0000
d-Limonene	0.0000
Linalool	0.0000
beta-Caryophyllene	0.0022
alpha-Humulene	0.0018
(-)-alpha-Bisabolol	0.0398

## NOTES:

N/A

## FINAL APPROVAL

	Daniel Weidensaul 7-Sep-2022 2:18 PM		Jacob Miller 7-Sep-2022 2:20 PM
--	--	---	---------------------------------------

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02


Prepared for:

**EV22.TEJAS.THCV.163**
**EVG EXTRACTS**

Batch ID or Lot Number: <b>N/A</b>	Test: <b>Metals</b>	Reported: <b>9/7/22</b>	Location: 35715 HWY 40 #D203 EVERGREEN, CO 80439
Matrix: Other	Test ID: T000220217	Started: 9/7/22	USDA License: N/A
Status: Active	Method: TM19 (ICP-MS): Heavy Metals	Received: 09/01/2022 @ 10:45 AM	Sampler ID: N/A

## HEAVY METALS DETERMINATION

Compound	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.044 - 4.41	ND	
Cadmium	0.043 - 4.33	ND	
Mercury	0.044 - 4.38	ND	
Lead	0.036 - 3.60	ND	


 Sam Smith  
 7-Sep-22  
 2:47 PM

PREPARED BY / DATE


 Daniel Weidensaul  
 7-Sep-22  
 2:51 PM

APPROVED BY / DATE

### Definitions

ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.



Certificate #4329.02

EV22.TEJAS.THCV.163

<b>Batch ID:</b>	N/A	<b>Test ID:</b>	T000220216
<b>Matrix:</b>	General/Other	<b>Received:</b>	09/01/2022 @ 10:45 AM
<b>Test:</b>	Microbial Contaminants	<b>Started:</b>	9/1/2022
<b>Methods:</b>	TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	<b>Reported:</b>	9/5/2022

## MICROBIAL CONTAMINANTS

Contaminant	Method	LOD	Quantitation Range	Result
<b>Total Yeast and Mold*</b>	TM-24 Culture Plating	10 <sup>1</sup> CFU/g	2.0x10 <sup>2</sup> - 3.0x10 <sup>4</sup> CFU/g	<b>None Detected</b>
<b>Total Aerobic Count*</b>	TM-26 Culture Plating	10 <sup>2</sup> CFU/g	2.0x10 <sup>3</sup> - 3.0x10 <sup>5</sup> CFU/g	<b>None Detected</b>
<b>Total Coliforms*</b>	TM-27 Culture Plating	10 <sup>1</sup> CFU/g	2.0x10 <sup>2</sup> - 3.0x10 <sup>4</sup> CFU/g	<b>None Detected</b>
<b>STEC</b>	TM-25 PCR	10 <sup>0</sup> CFU/g	N/A	<b>Absent</b>
<b>Salmonella</b>	TM-25 PCR	10 <sup>0</sup> CFU/g	N/A	<b>Absent</b>

\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: 10<sup>2</sup> = 100 CFU  
10<sup>3</sup> = 1,000 CFU  
10<sup>4</sup> = 10,000 CFU  
10<sup>5</sup> = 100,000 CFU


### NOTES:


Free from visual mold, mildew, and foreign matter

### DEFINITIONS:

CFU/g = Colony Forming Units per gram | LOD = Limit of Detection | STEC = Shiga toxin-producing E. coli  
LLOQ = Lower Limit of Quantitation | ULOQ = Upper Limit of Quantitation

## FINAL APPROVAL

  
Brett Hudson  
9/4/2022  
1:10:00 PM

  
Brianne Maillot  
9/5/2022  
10:52:00 AM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.03

Prepared for:

**EV22.TEJAS.THCV.163**

**EVG EXTRACTS**


Batch ID or Lot Number: <b>N/A</b>	Test: <b>Mycotoxins</b>	Reported: <b>9/6/22</b>	Location: 35715 HWY 40 #D203 EVERGREEN, CO 80439
Matrix: Concentrate	Test ID: T000220219	Started: 9/2/22	USDA License: N/A
Status: Active	Method: TM18 (UHPLC-QQQ LCMS/MS): Mycotoxins	Received: 09/01/2022 @ 10:45 AM	Sampler ID: N/A

### MYCOTOXIN DETERMINATION

Compound	Dynamic Range (ppb)	Result (ppb)	Notes
Ochratoxin A	2 - 131.5	ND	N/A
Aflatoxin B1	1 - 31.5	ND	
Aflatoxin B2	1 - 31.9	ND	
Aflatoxin G1	1.1 - 32.4	ND	
Aflatoxin G2	1.1 - 32.7	ND	
<b>Total Aflatoxins (B1, B2, G1, and G2)</b>		ND	

 Jacob Miller  
6-Sep-22  
3:10 PM

PREPARED BY / DATE

 Sam Smith  
6-Sep-22  
3:14 PM

APPROVED BY / DATE

### Definitions

ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02

Prepared for:


**EV22.TEJAS.THCV.163**


**EVG EXTRACTS**

Batch ID or Lot Number: <b>N/A</b>	Test: <b>Residual Solvents</b>	Reported: <b>9/7/22</b>	Location: 35715 HWY 40 #D203 EVERGREEN, CO 80439
Matrix: N/A	Test ID: T000220218	Started: 9/7/22	USDA License: N/A
Status: Active	Methods: TM04 (GC-MS): Residual Solvents	Received: 09/01/2022 @ 10:45 AM	Sampler ID: N/A

## RESIDUAL SOLVENTS DETERMINATION

Solvent	Dynamic Range (ppm)	Result (ppm)	Notes
<b>Propane</b>	86 - 1712	*ND	
<b>Butanes</b> (Isobutane, n-Butane)	183 - 3668	*ND	
<b>Methanol</b>	60 - 1199	*ND	
<b>Pentane</b>	98 - 1967	*ND	
<b>Ethanol</b>	97 - 1941	*ND	
<b>Acetone</b>	98 - 1967	*ND	
<b>Isopropyl Alcohol</b>	101 - 2030	*ND	
<b>Hexane</b>	6 - 120	*ND	
<b>Ethyl Acetate</b>	101 - 2026	*ND	
<b>Benzene</b>	0.2 - 4.1	*ND	
<b>Heptanes</b>	102 - 2048	*ND	
<b>Toluene</b>	18 - 351	*ND	
<b>Xylenes</b> (m,p,o-Xylenes)	130 - 2610	*ND	

 Jacob Miller  
7-Sep-22  
3:38 PM

 Daniel Weidensaul  
7-Sep-22  
3:38 PM

PREPARED BY / DATE

APPROVED BY / DATE

### Definitions

\* ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02

Prepared for:


**EVG.TEJAS.G1.22263**


**EVG EXTRACTS**

Batch ID or Lot Number: <b>EVG.TEJAS.G1.22263</b>	Test: <b>Microbial Contaminants</b>	Reported: <b>10/16/22</b>	Location: 35715 HWY 40 #D203 EVERGREEN, CO 80439
Matrix: Finished Product	Test ID: T000224492	Started: 10/12/22	USDA License: N/A
Status: Active	Methods: TM25 (qPCR) TM24, TM26, TM27(Culture Plating): Microbial	Received: 10/12/2022 @ 10:26 AM	Sampler ID: N/A

### MICROBIAL CONTAMINANTS DETERMINATION

Contaminant	Method	LOD	QUANTITATION RANGE	Result	Notes
<b>Total Aerobic Count*</b>	TM-26, Culture Plating	10 <sup>2</sup> CFU/g	2.0x10 <sup>3</sup> - 3.0x10 <sup>5</sup> CFU/g	None Detected	Free from visual mold, mildew, and foreign matter
<b>Total Coliforms*</b>	TM-27, Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup> CFU/g	None Detected	
<b>Total Yeast and Mold*</b>	TM-24, Culture Plating	10 <sup>1</sup> CFU/g	2.0x10 <sup>2</sup> - 3.0x10 <sup>4</sup> CFU/g	None Detected	
<b>STEC</b>	TM-25, PCR	10 <sup>0</sup> CFU/25 g	N/A	Absent	
<b>Salmonella</b>	TM-25, PCR	10 <sup>0</sup> CFU/25 g	N/A	Absent	

  
Eden Thompson-Wright  
10/15/2022  
10:46:00 AM

  
Jacob Folkerts  
10/16/2022  
10:52:00 AM

PREPARED BY / DATE

APPROVED BY / DATE

#### Definitions

LOD = Limit of Detection | LLOQ = Lower Limit of Quantitation | ULOQ = Upper Limit of Quantitation

CFU/g = Colony Forming Units per Gram | STEC = Shiga Toxin-Producing *E. coli*

\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples:  
10<sup>2</sup> = 100 CFU  
10<sup>3</sup> = 1,000 CFU  
10<sup>4</sup> = 10,000 CFU  
10<sup>5</sup> = 100,000 CFU

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



CDPHE Certified



Certificate #4329.02

Prepared for:

**EV22.TEJAS.THCV.163**

**EVG EXTRACTS**

Batch ID or Lot Number: <b>N/A</b>	Test: <b>Potency</b>	Reported: <b>9/7/22</b>	Location: 35715 HWY 40 #D203 EVERGREEN, CO 80439
---------------------------------------	-------------------------	----------------------------	--

Matrix: Concentrate	Test ID: T000220214	Started: 9/6/22	USDA License: N/A
------------------------	------------------------	--------------------	----------------------

Status: Active	Method: TM14 (HPLC-DAD): Potency - Standard Cannabinoid Analysis	Received: 09/01/2022 @ 10:45 AM	Sampler ID: N/A
-------------------	--	------------------------------------	--------------------

**CANNABINOID PROFILE**

Compound	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.277	0.883	ND	ND	N/A
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.313	0.997	0.709	7.09	
Cannabidiolic acid (CBDA)	0.410	1.060	ND	ND	
Cannabidiol (CBD)	0.400	1.034	38.626	386.26	
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.344	1.098	ND	ND	
Cannabinolic Acid (CBNA)	0.197	0.629	ND	ND	
Cannabinol (CBN)	0.090	0.288	<LOQ	1.75	
Cannabigerolic acid (CBGA)	0.289	0.921	ND	ND	
Cannabigerol (CBG)	0.069	0.220	2.184	21.84	
Tetrahydrocannabivarinic Acid (THCVA)	0.244	0.779	ND	ND	
Tetrahydrocannabivarin (THCV)	0.063	0.200	12.321	123.21	
Cannabidivarinic Acid (CBDVA)	0.171	0.442	ND	ND	
Cannabidivarin (CBDV)	0.095	0.244	33.714	337.14	
Cannabichromenic Acid (CBCA)	0.111	0.355	ND	ND	
Cannabichromene (CBC)	0.122	0.388	ND	ND	
<b>Total Cannabinoids</b>			<b>87.729</b>	<b>877.29</b>	
Total Potential THC**			0.709	7.09	
Total Potential CBD**			38.626	386.26	

*K Winterheimer*  
Karen Winterheimer  
7-Sep-22  
2:14 PM

*Samantha Smith*  
Sam Smith  
7-Sep-22  
2:17 PM

PREPARED BY / DATE

APPROVED BY / DATE

**Definitions**

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

\*\* Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa \*(0.877)) and

Total CBD = CBD + (CBDa \*(0.877))

Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



CDPHE Certified



Certificate #4329.02